

The Woodbridge & Brightwell Stoves Collection

Wood burning and Multifuel Stoves for the home

Ecodesign Ready/Smoke Exemption Approved Stoves

NEW FOR
2025



A fantastic collection of stoves
designed and built in the UK



Warming your world



FREESTANDING STOVES

WOODBIDGE 5 2-8kW WOODBRIDGE 5C 2-8kW

WOODBIDGE 5 LS 2-8kW WOODBRIDGE 5 LSC 2-8kW

New for 2025 is the brand new Woodbridge 5 woodburning stove.

Designed and built in the UK and featuring a heavy duty 5mm steel body, elegant cast iron door providing an amazing view of the fire and simple to use single air control lever makes this stove the perfect choice for any fireplace installation.

A 5kW nominal output and an impressive **84% efficiency** means you can really enjoy the heat and impressive flame picture through the large window safe in the knowledge that this stove will be a delight to operate and economical to use.


The Woodbridge 5 achieves all the latest requirements of Ecodesign and Defra and is available in a low or a built in log store version. Can be installed into highly insulated homes with the option of a fresh air connector.

Technical Data

Woodbridge 5, 5C and 5 LS	
Nominal heat output	5kW
Output range	2-8kW
Wood efficiency	84%
Flue outlet dia.	128mm
Dist. from rear to centre of top flue	155mm
Dist. from floor to centre of rear flue	Low model: 400mm Logstore model: 820mm
Weight	93/116kg
Dist. to flammable materials	450mm
At sides	Convactor model: 200*/250mm
Behind stove	160*/200mm
Distance to furniture	1200mm
Energy Efficiency Label	A+
Smoke Exemption Approved	✓
Ecodesign Compliant	✓
Warranty	10 years, see instructions for details
Finish	Matt Black
Standard fittings	Stainless steel handle and air control knob, rear heatshield.
*when fitted with a twin wall flue system	

Options

- Cool touch chrome, black handle and knob or wooden handle
- Built in 418mm height logstore models
- 76mm Ø Fresh air adaptor
- Low and logstore models can be supplied with convection panels to allow them to be installed into rooms where clearances to combustible surfaces need to be at the lowest possible distance.




WOODBIDGE 5 LS




WOODBRIDGE 5

Dimensions


WOODBRIDGE 5




WOODBRIDGE 5C



WOODBRIDGE 5 LS



WOODBRIDGE 5 LSC



WOODBRIDGE 5



WOODBRIDGE 5C
CONVECTOR



WOODBRIDGE 5 LS



WOODBRIDGE 5 LSC
CONVECTOR

FREESTANDING STOVES

BRIGHTWELL 400 P 2-6kW

BRIGHTWELL 500 L 3-7kW

The UK designed and built Brightwell stoves feature a landscape and portrait model which gives the opportunity to install these in multiple different fireplace applications.

Modern and unfussy clean lines with a wide aspect window give a clear uninterrupted view of the flames burning brightly and lazily in the firebox. Easy to use push-pull air controls under the door makes for effortless adjustment of the burning of the fuel to find the perfect blend between harmony, comfort and warming heat. If you need to connect to an outside air supply then a separate adaptor can be purchased to be fitted to the stove.

Technical Data


	400 P	500 L
Nominal heat output	5kW	5kW
Output range	2-6kW	3-7kW
Wood efficiency	84.8%	77.6%
Solid fuel efficiency	81.5%	79.5%
Flue outlet dia.	128mm	128mm
Dist. from rear to centre of top flue	148mm	148mm
Dist. from floor to centre of rear flue	435mm	435mm
Weight	81kg	85kg
Dist. to flammable materials		
At sides	500mm	500mm
Behind stove	350mm	250mm
Distance to furniture	800mm	800mm
Energy Efficiency Label	A+	A
Smoke Exemption Approved	✓	✓
Ecodesign	✓	✓
Warranty	5 years, see instructions for details	
Finish	Matt Black	Matt Black
Standard fittings	Stainless steel handle and air control knobs, rear heatshield.	

Options


- Cool touch chrome, black handle and knob or wooden handle
- 350mm logstore stand
- 76mm Ø Fresh air adaptor

Dimensions

PEVEX BRIGHTWELL 400P



PEVEX BRIGHTWELL 500 L



BRIGHTWELL 500 L



BRIGHTWELL 400 P

NEW FOR
2025

FREESTANDING STOVES BRIGHTWELL 900 DOUBLE SIDED 4-12kW

PEVEEX
5 YEAR
WARRANTY

DESIGNED AND MADE
IN THE UK



The Brightwell 900 Double Sided stove offers 9kW of nominal heat energy with an impressive 79% efficiency and is the perfect choice when there is fireplace dividing two rooms for each side to enjoy.


Modern and unfussy clean lines with a wide aspect window give a clear uninterrupted view of the flames burning brightly and lazily in the firebox. Easy to use push-pull air controls under the door makes for effortless adjustment of the burning of the fuel to find the perfect blend between harmony, comfort and warming heat. For more impact and when space allows a 300mm logstore can be purchased separately to elevate the stove for easier loading and a great view of the fire. If you need to connect to an outside air supply then a separate adaptor can be purchased which can be fitted to the stove.

Technical Data


	900
Nominal heat output	9kW
Output range	4-12kW
Wood efficiency	79%
Flue outlet dia.	155mm
Flue set directly in the centre	281mm
Weight	155kg
	175kg with 200mm stand
	180kg with 300mm stand
Dist. to flammable materials	
At sides	580mm
In front of doors	1,050mm
Energy Efficiency Label	A
Smoke Exemption Approved	✓
Ecodesign	✓
Warranty	5 years, see instructions for details
Finish	Matt Black
Standard fittings	Stainless steel handle and air control knobs, rear heatshield.

Dimensions

BRIGHTWELL 900 DS



BRIGHTWELL 900 DS ON 300MM LOGSTORE



Options

- Cool touch chrome, black handle and knob or wooden handle
- 76mm Ø Fresh air adaptor
- 200mm and 300mm logstore stand



BRIGHTWELL 900 DOUBLE SIDED

NEW FOR
2025

FREESTANDING STOVES BRIGHTWELL 700 CONTEMPORARY 2-6.5kW

PEVEX
5 YEAR
WARRANTY

DESIGNED AND BUILT
IN THE UK



SIA
SOLID FUEL INSTITUTE



BRIGHTWELL 700 CONTEMPORARY

The Brightwell 700 is a brand new contemporary stove with a 4.9kW output, 80% efficiency and with only 75mm distance to combustibles from the rear allows this stove to be installed as close as possible to a rear wall and into a corner.

Tested and approved to burn wood and approved smokeless fuels using the easy to control air control levers mounted under the door. Featuring an attractive softly contoured cast iron door with a positive closing door mechanism and a cast iron top plate. Convection sides ensure the stove sides are cool to touch but allowing glorious warming heat to radiate through the front glass into the room..


Technical Data

700 Contemporary

Nominal heat output	Wood 4.9kW, MSF 4.1kW
Output range	2-6.5kW
Wood efficiency	79.9%
Solid fuel efficiency	77.7%
Flue outlet dia.	128mm
Dist. from rear to centre of top flue	179mm
Weight	110kg
Dist. to flammable materials	
At sides	500mm
Behind stove	75mm
Distance to furniture	1,000mm
Energy Efficiency Label	A (Wood)
Finish	Matt Black
Standard fittings	Stainless steel handle and air control knobs

Dimensions

BRIGHTWELL 700 CONTEMPORARY



Options

- Cool touch chrome, black handle and knob or wooden handle
- 76mm Ø Fresh air adaptor


NEW FOR
2025

ACCESSORIES HEAT SHIELD AND FLUE SYSTEM



The Heat Shield is made from 1.2mm thick steel and is designed to the latest specifications with an effective convection system that distributes heat back into the room.

It has a high quality powder coated matt black finish and can be made bespoke to any specification and powdercoated to any colour upon request. When fitted behind appliances up to 7kW and under 700mm to combustibles, this heat shield reduces the distance at the back to 95mm. It's quick and easy to install.



Our Vitreous enamel flue pipe is manufactured in the United Kingdom and is a single wall connecting flue pipe with a high temperature, acid resistant enamel coating. Lengths and elbows are available with doors which allow for cleaning access and can be removed and refitted without chipping.

A flue with a draft test point is also available.

Available from stock in 125mm to 150mm diameter.
(250, 500mm and 1m lengths)

Matt Black available from stock and a limited range is available in Gloss Black. Please ask for details.



Pevex Stoves are one of the leading innovators in the design and manufacture of wood burning and solid smokeless fuel stoves in the UK.

Pevex Stoves are designed as attractive, heating appliances for both traditional and contemporary homes. They are able to meet the environmental requirements of today and tomorrow with the majority suitable for use in smoke control areas.

With a wide choice of modern or traditional freestanding, inset or convector stoves throughout the collection, there is sure to be

a model that will suit your preference, allowing you to just sit back, relax and enjoy the wonderful warming heat and mesmerising flames through the stoves large glass windows.

And just to show you how confident we are of our product's quality, the Brightwells carry a **5-year guarantee*** and Woodbridge a **10 year guarantee*** (*Terms and conditions apply).

Your PEVEX dealer is:



Warming your world



facebook.com/pevexstoves